

INNOMED

EDV-Systeme für die Medizin GmbH
Lerchenbergstraße 15
89160 Dornstadt

MCS
Dr. med. Gustav Goldmann
Intensive Care

N1 3LE London
Großbritannien

London, 26-AUG-2014/IT 1/IT 1

Dear Doctor,

Nous vous remercions d'avoir référé yourit patients **First Xdsnist**, né(e) le **02-DEC-2012**.

Profession:

Employeur:

Enceinte:

Nous avons pratiqué les examne(s) suivant(s):

Lead Clin.code, shortname: ,

Desc -

Street -

ZIP -

Town -

County code -

County name -

Tel -

Tel area code -

Fax -

Pobox -

Pobox zip -

Postal add -

Speciality -

Spez desc -

Start: DEFAULT; REPORTRGN

CT Head with contrast of 26-AUG-2014:

CT Head with contrast, performed 26-AUG-2014, 03:51 PM

Today 26-AUG-2014

Yesterday 25-AUG-2014

Tomorrow 27-AUG-2014

Description of Procedure CT Head

Remark

Localiyation Left

INNOMED

EDV-Systeme für die Medizin GmbH

Lerchenbergstraße 15

89160 Dornstadt

THIS IS THE DEFAULT REPORT LAYOUT modified by Monica

EXTOBSRESULTTEXT =

PNAME:

Capital XDSNIST
XDSNIST

Small xdsnist
xdsnist

P.DOB(/D) 02-DEC-2012 Switch /D invalid for this variable!

P.DOB(/d) 02-DEC-2012 Switch /D invalid for this variable!

Use of /V Prefix_Xdsnist

Use of /N XdsnistSuffix_

Use of /C 1

Use of /T Xd

Use of /T/R Xdsnist

Use of /T/L Xdsnist

Use of <A> []CTH[]

Use of <Z> []CTH[]

Use of <T> []CTH[]

Name of the Accounting Center of the Case: Accounting point for Department of Radiology

Workplace: Computer tomography 1

Performed procedures:

CT Head

Reason for exam:

Report:

argeagdsdsgdsgdsg

KeyImages and in the next line:

&&KeyImages&&

- N \$ObservInterpretCode
- Normal \$ObservInterpretDesc
- 26-AUG-2014 03:54 PM \$RepDateTime
- IT1 \$RepDictSmCode
- \$RepDictSmFunction
- \$RepDictSmVale
- IT1 \$RepWriteSmCode
- \$RepWriteSmFunction
- Regards from the user IT1 and and and and and and. \$RepWriteSmVale
- 26-AUG-2014 03:54 PM \$RepReadDateTime
- IT1 \$RepReadSmCode
- \$RepReadSmFunction
- Regards from the user IT1 and and and and and and. \$RepReadSmVale
- 26-AUG-2014 03:54 PM \$RepCoReadDateTime
- IT1 \$RepCoReadSmCode
- \$RepCoReadSmFunction

INNOMED

EDV-Systeme für die Medizin GmbH

Lerchenbergstraße 15
89160 Dornstadt

- Regards from the user IT1 and and and and and and. \$RepCoReadSmVale
- IT1 \$RepSignSmCode
- \$RepSignSmFunction
- Regards from the user IT1 and and and and and and. \$RepSignSmVale
- 26-AUG-2014 03:54 PM \$RepApprDateTime
- IT1 \$RepApprSmCode
- \$RepApprSmFunction
- Regards from the user IT1 and and and and and and. \$RepApprSmVale

REPORTRGN and REPSUPPRGN layouts with placeholder are defined in MFD

This is to test if OLD reports use NEW versions of Layouts

REPSIGN1VALE Regards from the user IT1 and and and and and and.	REPSIGN2VALE	REPSIGN3VALE	REPSIGN4VALE	REPSIGN5VALE
REPSIGN1FUNCTION N	REPSIGN2FUNCTION N	REPSIGN3FUNCTION N	REPSIGN4FUNCTION N	REPSIGN5FUNCTION N
OBSERVINTERPRET CODE N	OBSERVINTERPRET DESC Normal	REPDATE 26-AUG-2014 03:54 PM		
REPDICTIONSMCODE IT1	REPWRITESMCODE IT1	REPREADDATE 26-AUG-2014 03:54 PM	REPCOREADDATE 26-AUG-2014 03:54 PM	REPAPPRDATE 26-AUG-2014 03:54 PM
REPDICTIONSMFUNCTION ON	REPWRITESMFUNCTION TION	REPREADSMCODE IT1	REPCOREADSMCODE E IT1	REPAPPRSMCODE IT1
REPDICTIONSMVALE	REPWRITESMVALE Regards from the user IT1 and and and and and and.	REPREADSMFUNCTION ON	REPCOREADSMFUNCTION CTION	REPAPPRSMFUNCTION ON
		REPREADSMVALE Regards from the user IT1 and and and and and and.	REPCOREADSMVALE E Regards from the user IT1 and and and and and and.	REPAPPRSMVALE Regards from the user IT1 and and and and and and.
REPSIGNSMCODE IT1	REPSIGNSMFUNCTION ON	REPSIGNSMVALE Regards from the user IT1 and and and and and and.	REPSTATUS f	

This is to test if Old reports use New versions of Layouts

End: DEFAULT; REPORTRGN

Mit freundlichen kollegialen Grüßen

Regards from the user IT1 and and and and and and.

REPSIGN1VALE	REPSIGN2VALE	REPSIGN3VALE		
--------------	--------------	--------------	--	--

INNOMED

EDV-Systeme für die Medizin GmbH

Lerchenbergstraße 15

89160 Dornstadt

Regards from the user IT1 and and and and and and.				
REPSIGN1FUNCTION	REPSIGN2FUNCTION N	REPSIGN3FUNCTION		

REPSIGN1SIGNATURE 	REPSIGN2SIGNATURE	REPSIGN3SIGNATURE
--	-------------------	-------------------

DIKTUNTERSCHRIFT	SIGNUNTERSCHRIFT 	FRGBUNTERSCHRIFT
------------------	---	------------------